READ SAFETY DIRECTIONS BEFORE OPENING OR USING



R BRUSHWE

ORGANOSILICONE SURFACTANT

ACTIVE CONSTITUENT: 1020g/L POLYETHER MODIFIED POLYSILOXANE



Nonionic surfactant for use with Glyphosate and certain Brushweed Herbicides to improve coverage, penetration and uptake on brush and woody weeds and ryegrass. Also for use with fungicides, insecticides, miticides and Foliar micro-nutrients as per the directions for use table.

20 LITRES



DIRECTIONS FOR USE

The use rates of Brushwet are given as a guide only. Always refer to the label of the product where the addition of an organosilicone penetrant such as Brushwet is recommended.

Situation	Rate	Critical comment
Herbicides Clopyralid (eg Archer*)	Handgun 200ml/100L spray mixture	Add Brushwet to the recomme rates of the herbicide for the co weeds as per the label direction products.
Clopyralid (eg Archer*) Glyphosate (eg Roundup* Herbicide by Monsanto) Metsulfuron-methyl (eg Brush-Off*), Sulfometuron methyl	Boom 200-500 mL/100L spray mixture	
Fungicides & foliar micro-nutrients	30-60 ml/100L spray mixture	Use higher rate on hard to we and with water volumes less th
Insecticides and Miticides (eg Confidor*)	200 ml/100L spray mixture	Refer to the Confidor label for directions for use on cotton

NOT TO BE USED FOR ANY PURPOSE OTHER THAN INDICATED ON THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

GENERAL INSTRUCTIONS

Brushwet is a highly efficient penetrating surfactant suitable for use with most agricultural chemicals, including herbicides, insecticides, fungicides, miticides and folia micro-nutrients unless otherwise stated. It improves efficiency by enhancing their penetration and uptake. While Brushwet is a highly efficient surfactant, factors such as timing, weather conditions, method of application and/or mixture with chemicals not specifically recommended are beyond the control of the seller. Therefore, the user should carefully observe spray deposits, thoroughly. rate efficiencies, compatibilities and effectiveness in initial applications and adjust the rate of Brushwet accordingly.

MIXING

- I. Mix herbicide/fungicide/insecticide/micronutrient product with water when tank is about 30% full.
- When tank is nearly full add Brushwet.
- 3. Complete filling tank.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used container.

APVMA Approval No: 53777/59589

Batch No: Date of Manufacture

reuse.

Harmful in contact with skin, causes serious eye irritation, harmful if inhaled. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors in a well ventilated area. Call a POISON CENTRE or doctor/physician if feeling unwell. Wash contaminated clothing before

IN AN EMERGENCY **DIAL 000** POLICE OR FIRE BRIGADE



SST Australia Pty Ltd ACN 052 845 833 4/97 Bayfield Road East, Bayswater, VIC 3153 Phone: (03) 9720 6306 ® registered trademark of SST Australia Pty Ltd Other registered trademark



et surfaces han 400L/Ha

r specific



STORAGE AND DISPOSAL

KEEP OUT OF REACH OF CHILDREN. Store in closed, original container in a well-ventilated area, DO NOT store for prolonged periods in direct sunlight. Triple or, preferably, pressure rinse containers before disposal. Add rinsing's to spray tank or knapsack mix. DO NOT dispose of undiluted chemicals on-site. If recycling, replace cap and return containers to recycler or designated collection point. If not recycling, break, crush, puncture and bury empty containers in a local authority landfill. If not available bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should NOT be burnt.

SAFETY DIRECTIONS

Severely irritating to eyes. Avoid contact with eyes and skin. When preparing product for use, wear elbow-length PVC gloves and face shield or goggles. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each days use wash contaminated clothing, gloves and face shield or goggles.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre (TEL 131126). If in eyes, hold eyes open and flood with water for at least 15 minutes and see a doctor. If skin contact occurs remove contaminated clothing and wash skin

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet which is available from the supplier.

HAZARD & PRECAUTIONARY STATEMENTS

