

## READ SAFETY DIRECTIONS BEFORE OPENING OR USING



ACTIVE CONSTITUENT: 300g/L SODIUM LAURYL ETHER SULPHATE



MARKING FOAM FOR AGRICULTURAL **SPRAYS ON DARK SURFACES** 

**20 LITRES** 



#### LONGLIFE MARKING FOAM DIRECTIONS FOR USE

Situation	Application Rate	
Pastures, broad acre crops and direct drilling	I part foam to 100 parts water	Use at this
As above but at temperatures above 35°C	I part foam to 50-60 parts water	Under norr visible on tl The life spa in these co

#### NOT TO BE USED FOR ANY PURPOSE OTHER THAN INDICATED ON THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION. MIXING SAFETY DIRECTIONS

Start with empty tank. Half fill foam tank with water. Add required amount of LongLife. Place hose in tank below water line and top up to fill tank. Ensure that solution is thoroughly mixed.

## GENERAL INSTRUCTIONS

LongLife is a biodegradable marking foam for agricultural spraying. LongLife is formulated as a liquid. It is non-flammable. The white colour assists visibility on some dark surfaces.

#### **PROTECTION OF WILDLIFE, FISH, CRUSTACEANS** AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used container.

## STORAGE AND DISPOSAL

Keep out of reach of children.

Store in closed, original container in a cool well ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or, preferably pressure rinse containers before disposal. Add rinsings to foam tank. DO NOT dispose of undiluted chemical on-site. If recycling, replace cap and return containers to recycler or collection point. If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.

Batch No: Date of Manufacture IN AN EMERGENCY **DIAL 000** POLICE OR FIRE BRIGADE

## **Critical Comments**

rate for boom spray foam markings in foam generators.

rmal weather conditions (up to 35°C) the foam should remain the ground for about 2 hours.

oan will be affected by hot weather conditions, use higher rate onditions

Avoid contact with eyes and skin. When using the product, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), elbow length PVC/rubber gloves and face shield. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water.

# **FIRST AID**

If poisoning occurs contact a doctor or Poisons Information Centre (Ph 13 11 26). If chemical on skin, remove contaminated clothing and wash skin thoroughly. If in eves hold eves open, flood with water for at least 15 minutes and see a doctor.

## MATERIAL SAFETY DATA SHEET

Additional Information is listed in the Material Data Safety Data Sheet which is available from the supplier.

# **HAZARD & PRECAUTIONARY STATEMENTS**

Causes skin irritation, causes serious eye damage, toxic to aquatic life. Avoid release to the environment.

APVMA Approval No.: 58279/52391



SST Australia Pty Ltd ACN 052 845 833 4/97 Bayfield Road East Bayswater, VIC 3153 Phone: (03) 9720 6306

